

## 1. PRODUCT AND COMPANY IDENTIFICATION

### 1.1 Product Identifiers

Product Name : sSORB Blue Indicating  
Synonym : Blue Indicating Silica Gel; Amorphous Silica

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Adsorbent

### 1.3 Details of the supplier of the safety data sheet

Producer : Interra Global Corporation  
800 Busse Highway, Suite 101  
Park Ridge, IL 60068  
USA

Telephone : +1 (847) 292-8600

### 1.4 Emergency telephone number

Emergency : +1 (847) 292-8600

## 2. HAZARD(S) IDENTIFICATION

### 2.1 Classification of the substance or mixture

#### GHS classification in accordance with 29 CFR 1910 (OSHA HCS)

Respiratory sensitization (Category 1), H334  
Skin sensitization (Category 1), H317  
Reproductive toxicity (Category 1B), H360  
Acute aquatic toxicity (Category 2), H401  
Carcinogenicity (Category 2), H351  
Chronic aquatic toxicity (Category 3), H412

### 2.2 GHS label elements, including precautionary statements

Pictogram:



Signal word: Danger

Hazard statement(s)

H317	May cause allergic skin reaction
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H351	Suspected of causing cancer

H360 May damage fertility or the unborn child  
 H401 Toxic to aquatic life  
 H412 Harmful to aquatic life with long lasting effects

Precautionary statement(s)

P201 Obtain special instructions before use  
 P202 Do not handle until all safety precautions have been read and understood  
  
 P261 Avoid breathing dust  
 P271 Use only outdoors or in a well-ventilated area  
 P272 Contaminated work clothing should not be allowed out of the workplace  
  
 P273 Avoid release to the environment  
 P280 Wear protective gloves/protective clothing/eye protection/face protection  
  
 P285 In case of inadequate ventilation wear respiratory protection  
 P302 + P352 IF ON SKIN: Wash with plenty of water and soap  
 P304 + P341 IF INHALED: If breathing is difficult, remove person to fresh air and keep at rest in position comfortable for breathing  
  
 P308 + P313 IF EXPOSED OR CONCERNED: Get medical advice.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice  
 P363 Wash contaminated clothing before reuse  
 P405 Store locked up  
 P501 Dispose of contents/container to an approved waste disposal plant in accordance with local regulation(s)

Sensitizing components:

Cobalt dichloride  
 May produce an allergic reaction

**2.3 Hazards not otherwise classified (HNOC) or not covered by GHS**

None

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical identity :  $\text{SiO}_2 \cdot n\text{H}_2\text{O} + \text{CoCl}_2$   
 Common name : Blue Indicating Silica Gel; Amorphous Silica  
 Numbers of identity : CAS-Nr. : 112926-00-8 (> 99.7%) (Silica Gel)  
 : EC-No. : 231-545-4  
 : CAS-Nr. : 7646-79-9 (< 0.3%) (Cobalt Dichloride)  
 : EC-No. : 231-589-4

Cobalt dichloride is included in the Candidate List of Substances of Very High Concentration (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)

Impurities : None

**4. FIRST AID MEASURES**

**4.1 Description of first aid measures**

**General advice**



Consult a qualified medical professional. Show this data sheet to the doctor in attendance. Move out of the dangerous area. Never give anything by mouth to an unconscious person.

**If ingested**

Give several glasses of water to drink to dilute. If large amounts are ingested, get medical advice.

**Skin contact**

Wash with soap and water. Get medical attention if irritation develops.

**Eye contact**

Flush eyes with plenty of water. Check for and remove any contact lenses if possible. Continue flushing eyes with water for at least 15 minutes. Get medical attention if irritation occurs.

**Inhalation**

Move individual to fresh air. If breathing is difficult, get medical attention.

**4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or section 11.

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available

**5. FIREFIGHTING MEASURES**

**Extinguishing media**

Suitable extinguishing media : Any media suitable for the surrounding fire.

**Special hazards arising from the substance or mixture**

Fire hazards : Not considered to be a fire hazard

Explosion hazards : Not considered to be an explosion hazard

**6. ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid breathing dust. Ensure adequate ventilation. For personal protection see section 8.

**6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

**6.3 Methods and materials for containment and cleaning up**

Use appropriate tools to put the spilled solid in a convenient waste disposal container. Dispose of material according to local and regional requirements.

**7. HANDLING AND STORAGE**

**7.1 Precautions for safe handling**



Avoid contact with skin and eyes. Do not breathe dust. Containers of this material may be hazardous when empty since they retain product residues (e.g. dust, solids). For precautions see section 2.2.

**7.2 Conditions for safe storage, including any incompatibilities**

Suitable for any general chemical storage area. Keep container tightly closed. Hygroscopic.

**7.3 Specific end use(s)**

Apart from the uses mentioned in section 1.2, no other specific uses are stipulated.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters/exposure limits**

Component	CAS-No.	Value	Control Parameters	Basis
Silica-Amorphous, precipitated	112926-00-8	TWA	6.000000 mg/m <sup>3</sup>	USA. OSHA - Table Z-1 Limits for Air Contaminants - 1910.1000
Silica-Amorphous, precipitated	112926-00-8	TWA	20.000000 Million particles/ft <sup>3</sup>	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
	<b>Remark(s)</b>	Millions of particles per cubic foot of air, based on impinger samples counted by light-field techniques. Mppcf x 35.3 = million particles per cubic meter = particles per c.c.		
Silica-Amorphous, precipitated	112926-00-8	TWA	80.000000 mg/m <sup>3</sup> / % SiO <sub>2</sub>	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
	<b>Remark(s)</b>	See table Z-3		
Silica-Amorphous, precipitated	112926-00-8	TWA	6.000000 mg/m <sup>3</sup>	USA. NIOSH Recommended Exposure Limits
Cobalt dichloride	7646-79-9	TWA	0.020000 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
	<b>Remark(s)</b>	Pulmonary function Asthma Myocardial effects Confirmed animal carcinogen with unknown relevance to humans varies		

**8.2 Appropriate engineering controls**

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit. Handle in

accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### 8.3 Personal protective equipment

Safety glasses, lab coat, gloves, and dust respirator. Be sure to use an NIOSH approved respirator or equivalent.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Physical state	: Solid, crystals / beads
Color	: Blue - pink
Odor	: Odorless
Odor threshold	: No data available
pH-value	: 5.5 – 9.0 (in 5% slurry)
Melting point	: No data available
Freezing Point	: No data available
Initial boiling point	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Non-flammable
Explosion limits	: No data available
Vapor pressure	: Not applicable
Vapor density	: Not applicable
Relative density	: 2.1 (Water = 1)
Solubility	: Insoluble, chloride may leach out
Partition coefficient	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No Data Available.

### 10.2 Chemical stability

The product is stable under normal ambient and anticipated storage and handling conditions of temperature and storage.

### 10.3 Possibility of hazardous reactions

No data available.

### 10.4 Conditions to avoid

No data available.

### 10.5 Incompatible materials

This product is incompatible with powerful, alkali metals, strong oxidizing agents.

### 10.6 Hazardous decomposition products

Other decomposition products – No data available.

In the event of fire see section 5.1.

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effect

#### Acute toxicity

Inhalation : No data available  
Ingestion : No data available  
Dermal : No data available

#### Skin corrosion/irritation

No data available

#### Serious eye damage/eye irritation

No data available

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

IARC : 2B – Group 2B: Possibly carcinogenic to humans (Cobalt chloride)

IARC : 3 – Group 3: Not classifiable as to its carcinogenetic to humans (Silica-Amorphous, precipitated)

#### Reproductive toxicity

No data available

#### Specific target organ toxicity following single exposure

No data available

#### Specific target organ toxicity following repeated exposure

No data available

#### Aspiration hazard

Dust may irritate lungs.

### 11.2 Information on likely routes of exposure

Absorbed through skin, eye contact, inhalation, and ingestion.

### 11.3 Additional information

Exposure to dust particles may cause irritation of the respiratory tract. May cause dryness and irritation to mucous membranes, nose, and throat. Symptoms may include coughing, sore throat, and wheezing. May cause slight irritation and abrasion in case of skin contact. Dust may cause eye irritation, redness, and pain.

## 12. ECOLOGICAL INFORMATION

- 12.1 Toxicity**  
Silica gel is not expected to be toxic to aquatic life.
- 12.2 Persistence and degradability**  
No data available.
- 12.3 Bioaccumulative potential**  
No data available.
- 12.4 Mobility in soil**  
No data available.
- 12.5 Results of PBT and vPvB assessment**  
No data available.
- 12.6 Other adverse effects**  
An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

### **13. DISPOSAL CONSIDERATIONS**

#### **13.1 Waste treatment methods**

**Product:**

Dispose of in accordance with federal, state, and local environmental control regulations.

**Contaminated packaging:**

Packaging may contain residual dust. Dispose of in accordance with federal, state, and local environmental control regulations.

### **14. TRANSPORT INFORMATION**

**DOT (U.S.A.)**

Not a dangerous good.

**IMDG**

Not a dangerous good.

**Transport hazard classes**

Not applicable.

**Packing group**

Not applicable.

**Environmental hazards**

See section 12.

**Transport in bulk**

Not applicable.

**Special precautions for users**



Not applicable.

**15. REGULATORY INFORMATION**

**15.1 Federal and state regulations:**

**SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313**

The following components are subject to reporting levels established by SARA Title III, Section 313.

Cobalt dichloride

CAS-No.: 7646-79-9

Revision date: 2009-07-17

**SARA 311/312 Hazards**

Chronic health hazard

**Massachusetts Right to Know Components**

Silica-Amorphous, precipitated

CAS-No.: 112926-00-8

Revision date: 1993-04-24

**Pennsylvania Right to Know Components**

Silica-Amorphous, precipitated

CAS-No.: 112926-00-8

Revision date: 1993-04-24

Cobalt dichloride

CAS-No.: 7646-79-9

Revision date: 2009-07-17

**New Jersey Right to Know Components**

Silica-Amorphous, precipitated

CAS-No.: 112926-00-8

Revision date: 1993-04-24

Cobalt dichloride

CAS-No.: 7646-79-9

Revision date: 2009-07-17

**California Proposition 65 Components**

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

**Toxic Control Substances Act (TSCA)**

Listed on the TSCA Inventory.

**DOT Classification**





Not a DOT controlled material (United States)

**15.2 Other classifications**

**HMIS (U.S.A.)**

Health hazard : 2  
Fire hazard : 0  
Reactivity : 0  
Personal protection : E

**National Fire Protection Association (U.S.A.)**

Health : 2  
Flammability : 0  
Reactivity : 0

**Toxic Control Substances Act (TSCA)**

This product complies with all applicable rules or orders under the Toxic Control Substances Act (TSCA).

**16. OTHER INFORMATION**

**16.1 Preparation Date** : June 1, 2015  
**Revision Number** : 3  
**Revision Date** : June 9, 2016  
**Revised By** : KT  
**Approved By** : BW

**16.2 Warranty**

The information contained herein is based upon data considered true and accurate. However, Interra Global Corp. makes no warranties, express or implied, as to the accuracy or adequacy of the information contained herein or the results to be obtained from the use thereof. This information is offered solely for the user's consideration, investigation and verification. Since the use and conditions of this information and the material described herein are not within the control of Interra Global Corp., it assumes no responsibility for injury to the user or third persons. The material described herein is sold only pursuant to Interra's Terms and Conditions of Sale, including those limiting warranties and remedies contained therein. It is the responsibility of the user to determine whether any use of this data and information is in accordance with applicable federal, state or local laws and regulations.