

## PKT DESI PAK® 1/6U CP 27X62 1200/PP NHT

Page 1

Substance key: SC0000107388	Revision Date: 05/02/2017
Version : 4 - 1 / USA	Date of printing :07/27/2017

#### **SECTION 1. IDENTIFICATION**

Identification of the company:	Clariant Corporation 4000 Monroe Road Charlotte, NC, 28205 Telephone No.: +1 704 331 7000
	Information of the substance/preparation: Product Stewardship +1-704-331-7710
	Emergency tel. number: +1 800-424-9300 CHEMTREC

Trade name: Material number:	PKT DESI PAK® 1/6U CP 27X62 1200/PP NHT 256392
CAS number:	1302-78-9
Primary product use:	Desiccant
Restrictions on use :	There are no uses advised against.

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

# Other hazards

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

CAS-No. : 1302-78-9

#### Hazardous components

This product does not contain any components that require disclosure according to OSHA Hazard Communication Standard 2012.

#### **SECTION 4. FIRST AID MEASURES**

General advice	:	No known delayed effects. Consult a physician for all exposures except for minor instances.
If inhaled	:	INHALATION: If exposed to excessive levels of dust or fumes, remove to fresh air and get medical attention. Get medical attention if cough and other symptoms develop.



# PKT DESI PAK® 1/6U CP 27X62 1200/PP NHT

Page 2

Substance key: SC0000107388	Revision Date: 05/02/2017
Version : 4 - 1 / USA	Date of printing :07/27/2017
	If you feel unwell, seek medical advice (show the label where possible).
In case of skin contact :	Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available.
In case of eye contact :	Do not rub affected area. Rinse immediately with plenty of lukewarm water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
If swallowed :	Normally not needed. If whole canisters or sachets are ingested, call a physician or your local Poison Control Center (1-800-222-1222 in the United States).
Most important symptoms : and effects, both acute and delayed	The possible symptoms known are those derived from the labelling (see section 2). No additional symptoms are known.
Notes to physician :	Treat symptomatically.

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	The product itself does not burn. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray jet Dry powder Foam Carbon dioxide (CO2)
Unsuitable extinguishing media	:	No restrictions
Specific hazards during firefighting	:	The product is not flammable. Does not sustain combustion. No hazardous decomposition products are known.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Special sliding risk through leaking of spilled product in connection with water.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	:	Ensure adequate ventilation.
protective equipment and		Avoid dust formation.
emergency procedures		Evacuate personnel to safe areas.
		Avoid contact with skin, eyes and clothing.
		Wear personal protective equipment.



# PKT DESI PAK® 1/6U CP 27X62 1200/PP NHT

Page 3

Substance key: SC0000107388		Revision Date: 05/02/2017
Version : 4 - 1 / USA		Date of printing :07/27/2017
		Avoid breathing dust.
		Use the indicated respiratory protection if the occupational
		exposure limit is exceeded and/or in case of product release (dust).
		Special sliding risk through leaking of spilled product in connection with water.
		Wearing appropriate personal protective equipment, contain spill and collect into a suitable container.
		No special precautions required.
		Refer to Section 8 for more information.
Environmental precautions	:	No special environmental precautions required.
Methods and materials for	:	Pick up and transfer to properly labelled containers.
containment and cleaning up		If product is released from trucks in roads, place signposts and remove the spill using vacuum cleaning systems.
SECTION 7. HANDLING AND STO	R	AGE
Advice on safe handling	:	Use of proper hygiene practices in the workplace is

C C		recommended.
Conditions for safe storage	:	Minimize airborne dust generation and prevent wind dispersal during loading and unloading. Keep containers closed and store packaged products so as to prevent accidental bursting.
Technical measures/Precautions	:	Store in a dry place.
		Store in a dry place.
Materials to avoid	:	No conditions to be specially mentioned.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters Contains no substances with occupational exposure limit values.				
Engineering measures	:	Use ventilation adequate to keep exposures below recommended exposure limits. See the safety datasheet.		
Personal protective equipment				
Respiratory protection	:	Use local exhaust if dusting occurs. Good general ventaliation is adequate in the absence of dusts.		
Hand protection Remarks	:	Wear protective gloves. Wash thoroughly after handling.		



# PKT DESI PAK® 1/6U CP 27X62 1200/PP NHT

Page 4

stance key: SC000010738 sion : 4 - 1 / USA	88 Revision Date: 05/02/2 Date of printing :07/27/2
Eye protection	: Safety glasses with side-shields
Skin and body protection	: Wear suitable protective equipment.
Hygiene measures	: Wash hands before breaks and at the end of workday.
TION 9. PHYSICAL AND CH	HEMICAL PROPERTIES
Appearance	: lumpy, granular, powder
Colour	: bright to earthy
Odour	: none
Odour Threshold	: not determined
рН	<ul> <li>6 - 11 (20 °C)</li> <li>Method: aqueous suspension</li> <li>For detail information please refer to our physical &amp; chem data sheet.</li> </ul>
Melting point/range	: > 450 °C Method: EU A.1
Boiling point/boiling range	: not applicable (solid with a melting point > 450 °C)
Flash point	: Not applicable
Evaporation rate	: not applicable (solid with a melting point > 450 °C)
Flammability (solid, gas)	: does not ignite Method: EU A.10
Self-ignition	: Method: 92/69/EEC, A.6. no relative self-ignition temperature below 400 °C
Upper explosion limit	: Not applicable
Lower explosion limit	: non explosive (void of any chemical structures commonly associated with explosive properties)
Vapour pressure	: not applicable (solid with a melting point > 450 °C)
Relative vapour density	: Not applicable
Density	: 2.6 g/cm3
Bulk density	: 500 - 1,100 kg/m3For detail information please refer to or physical & chemical data sheet.
Solubility(ies) Water solubility	: < 0.9 g/l (20 °C)



# PKT DESI PAK® 1/6U CP 27X62 1200/PP NHT

Page 5

Substance key: SC0000107388 Version : 4 - 1 / USA	Revision Date: 05/02/2017 Date of printing :07/27/2017
	Method: Tested according to Directive 92/69/EEC.
Partition coefficient: n- : octanol/water	Not applicable inorganic
Auto-ignition temperature :	not determined
Decomposition temperature :	No decomposition if used as directed.
Viscosity Viscosity, dynamic :	not applicable (solid with a melting point > 450 °C)
Viscosity, kinematic :	Not applicable
Oxidizing properties :	no oxidizing properties (Based on the chemical structure, the substance does not contain a surplus of oxygen or any structural groups known to be correlated with a tendency to react exothermally with combustible material)
SECTION 10. STABILITY AND REAC	CTIVITY
Reactivity :	Stable under recommended storage conditions.
Chemical stability :	The product is chemically stable.
Possibility of hazardous : reactions	None known.
Conditions to avoid :	Forms slippery/greasy layers with water.
Incompatible materials :	inert, not reactive Avoid storing together with materials that may be affected by dust.
Hazardous decomposition : products	Not relevant

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure		
Eye contact Ingestion		
Acute toxicity		
Product:		
Acute oral toxicity	: LD50 (Rat): > 2 g/kg Method: OECD Test Guideline 420	
Acute inhalation toxicity	: Remarks: no data available	
Acute dermal toxicity	: Remarks: no data available Bentonite is almost insoluble and has a low absorption through the skin.	



## PKT DESI PAK® 1/6U CP 27X62 1200/PP NHT

Page 6

Substance key: SC0000107388	Revision Date: 05/02/2017
Version : 4 - 1 / USA	Date of printing :07/27/2017

#### Skin corrosion/irritation

#### Product:

Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

#### Serious eye damage/eye irritation

#### Product:

Species: Rabbit Result: No eye irritation Method: OECD Test Guideline 405

#### Respiratory or skin sensitisation

#### Product:

Remarks: no data available Bentonite is considered not to be a skin sensitizer based on experience in handling and low absorption through the skin.

#### Germ cell mutagenicity

### Product:

Genotoxicity in vitro	M	est Type: In vitro gene mutation study in bacteria ethod: OECD Test Guideline 471 esult: negative
	M	est Type: Chromosome aberration test in vitro ethod: OECD Test Guideline 473 esult: negative
		est Type: In vitro gene mutation study in mammalian cells ethod: OECD Test Guideline 476

Result: negative

#### Carcinogenicity

#### Product:

Remarks: Based on available data, the classification criteria are not met.

IARC	Not listed

OSHA Not	listed
----------	--------

NTP Not listed

## **Reproductive toxicity**

Product:



# PKT DESI PAK® 1/6U CP 27X62 1200/PP NHT

Page 7

stance key: SC0000107388	·	Revision Date: 05/02/201
sion : 4 - 1 / USA		Date of printing :07/27/201
Effects on fertility	:	Remarks: Based on available data, the classification criteria are not met.
STOT - single exposure		
Product:		
Remarks: No organ toxicity of Based on available data, the c		
Aspiration toxicity		
Product:		
No aspiration toxicity classification	atior	1
Experience with human expe	osu	re
Product:		
General Information	:	The possible symptoms known are those derived from the labelling (see section 2).
Product:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 16 g/l Exposure time: 96 h
		LC50 (Marine water fish): 2.8 - 3.2 g/l Exposure time: 24 h
Toxicity to daphnia and other	:	
aquatic invertebrates		Exposure time: 48 h Method: OECD Test Guideline 202
		EC50 (Metacarcinus magister): 81.6 mg/l
		Exposure time: 96 h
Toxicity to algae	:	Exposure time: 96 h EC50 (Pandalus danae): 24.8 mg/l
Toxicity to algae Plant toxicity	:	Exposure time: 96 h EC50 (Pandalus danae): 24.8 mg/l Exposure time: 96 h EC50 (Desmodesmus subspicatus (Scenedesmus subspicatus)): > 100 mg/l



# PKT DESI PAK® 1/6U CP 27X62 1200/PP NHT

Page 8

Substance key: SC0000107388	Revision Date: 05/02/2017
Version : 4 - 1 / USA	Date of printing :07/27/2017
Persistence and degradability	
Product:	
Biodegradability :	Remarks: The methods for determining biodegradability are not applicable to inorganic substances.
Bioaccumulative potential	
Product:	
Bioaccumulation :	Remarks: Not relevant for inorganic substances
Mobility in soil	
Product:	
Distribution among : environmental compartments	Medium: Soil Remarks: Bentonite is almost insoluble and thus presents a low mobility in most soils.
Other adverse effects	
Product:	
Additional ecological : information	According to experience and to the information currently available, the product has no harmful effects on the environment if used correctly as intended.

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
RCRA - Resource Conservation and Recovery Authorization Act	:	No Not as sold.
Waste Code	:	NONE
Waste from residues	:	This product, if discarded as sold, is not a Federal RCRA hazardous waste. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations.
Contaminated packaging	:	No specific requirements.

### SECTION 14. TRANSPORT INFORMATION

DOT	not restricted
ΙΑΤΑ	not restricted
IMDG	not restricted



### PKT DESI PAK® 1/6U CP 27X62 1200/PP NHT

Page 9

Substance key: SC0000107388	Revision Date: 05/02/2017
Version : 4 - 1 / USA	Date of printing :07/27/2017
SECTION 15. REGULATORY INFO	RMATION
EPCRA - Emergency Planning	g and Community Right-to-Know Act
CERCLA Reportable Quantity	
This material does not contain a	any components with a CERCLA RQ.
SARA 304 Extremely Hazardo	us Substances Reportable Quantity
This material does not contain a	any components with a section 304 EHS RQ.
SARA 311/312 Hazards : No SARA Hazards	
SARA 313 :	<ul> <li>This product is not subject to SARA Title III Section 313 reporting requirements under 40 CFR 372.</li> </ul>
Clean Water Act	
Contains no known priority pollu	itants at concentrations greater than 0.1%.
The components of this produ	uct are reported in the following inventories:
TSCA	All components of this product are listed or excluded from listing on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) Inventory.

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified: NFPA - National Fire Protection Association: NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure



## PKT DESI PAK® 1/6U CP 27X62 1200/PP NHT

Page 10

Substance key: SC0000107388	Revision Date: 05/02/2017
Version : 4 - 1 / USA	Date of printing :07/27/2017

Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**





**Revision Date** 

: 05/02/2017

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

US / EN