

## Plug Card, 2345P, 20-50% RH, .81 Dia

Page 1

Substance key: SC0000100257	Revision Date: 06/19/2015
Version: 2 - 0 / USA	Date of printing :06/27/2015

#### **SECTION 1. IDENTIFICATION**

Identification of the Clariant Corporation

company: 4000 Monroe Road Charlotte, NC, 28205

Telephone No.: +1 704 331 7000

Information of the substance/preparation:

Product Safety 1-704-331-7710

Emergency tel. number: +1 800-424-9300 CHEMTREC

Trade name: Plug Card, 2345P, 20-50% RH, .81 Dia

Material number: 248759

Chemical family: cobalt dichloride on cardboard

Primary product use: Indicator for air humidity

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Respiratory sensitisation : Category 1

Skin sensitisation : Category 1

Germ cell mutagenicity : Category 2

Carcinogenicity (Inhalation) : Category 1B

Reproductive toxicity : Category 1B

**GHS Label element** 

Hazard pictograms :



Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H341 Suspected of causing genetic defects. H350i May cause cancer by inhalation. H360 May damage fertility or the unborn child.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read



## Plug Card, 2345P, 20-50% RH, .81 Dia

Page 2

Substance key: SC0000100257	Revision Date: 06/19/2015
Version: 2 - 0 / USA	Date of printing :06/27/2015

and understood.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves.

P281 Use personal protective equipment as required. P285 In case of inadequate ventilation wear respiratory

protection. Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.

P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

#### Other hazards

No additional hazards are known except those derived from the labelling.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical nature • cobalt dichloride on cardboard

## **Hazardous components**

Chemical Name	CAS-No.	Concentration (%)
Cobalt dichloride	7646-79-9	1 - 2.5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

#### **SECTION 4. FIRST AID MEASURES**

General advice : Take off all contaminated clothing immediately.

Show this safety data sheet to the doctor in attendance.

If inhaled : INHALATION: If exposed to excessive levels of dust or

fumes, remove to fresh air and get medical attention. Get medical attention if cough and other symptoms develop.

Remove to fresh air.

In case of skin contact : Avoid contact with skin.

Wash area with mild soap and copious amounts of water.

Remove contaminated clothing and shoes.

Wash clothing before reuse.



## Plug Card, 2345P, 20-50% RH, .81 Dia

Page 3

 Substance key: SC0000100257
 Revision Date: 06/19/2015

 Version: 2 - 0 / USA
 Date of printing: 06/27/2015

If skin irritation occurs: Get medical advice/ attention.

In case of eye contact : Do not rub affected area.

Rinse immediately with plenty of lukewarm water, also under

the eyelids, for at least 15 minutes.

Obtain medical attention.

If swallowed : Do NOT induce vomiting.

Call your local Poison Control Center (In the U.S. call 1-800-

222-1222).

Most important symptoms and effects, both acute and

delayed

: The possible symptoms known are those derived from the

labelling (see section 2).

No additional symptoms are known.

Notes to physician : Treat symptomatically.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Dry powder

Foam

Carbon dioxide (CO2)

Unsuitable extinguishing

media

: Do not use a solid water stream as it may scatter and spread

fire.

Specific hazards during

firefighting

: In case of fire can be formed: breathable cobalt/cobalt oxide

dust

Further information : Wear full protective clothing and NIOSH/MSHA-approved

positive pressure, self-contained breathing apparatus.

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation.

Avoid dust formation.

Use personal protective equipment.

Avoid contact with skin, eyes and clothing.

Wearing appropriate personal protective equipment, contain

spill and collect into a suitable container.

No special precautions required.

Environmental precautions : Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up

: Take up uncontaminated material and pass on for further

processing.



## Plug Card, 2345P, 20-50% RH, .81 Dia

Page 4

 Substance key: SC0000100257
 Revision Date: 06/19/2015

 Version: 2 - 0 / USA
 Date of printing: 06/27/2015

Take up contaminated material by mechanical means, load into clean containers, and dispose of in accordance with legal regulations.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Handle in accordance with good industrial hygiene and safety

practice

Conditions for safe storage : Keep tightly closed in a dry and cool place.

Technical

measures/Precautions

: Store in a dry place.

Materials to avoid : No materials to be especially mentioned.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Engineering measures : none

Personal protective equipment

Respiratory protection : Follow facility guidelines.

Hand protection

Remarks : Wear protective gloves. Wash thoroughly after handling.

Eye protection : Follow facility guidelines in the absence of dusts.

Skin and body protection : Use of proper hygiene practices in the workplace is

recommended.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Plates

Particle size : not tested.

Colour : blue to pink

Odour : none

Odour Threshold : cannot be determined

pH : 4.5 - 6



## Plug Card, 2345P, 20-50% RH, .81 Dia

Page 5

 Substance key: SC0000100257
 Revision Date: 06/19/2015

 Version: 2 - 0 / USA
 Date of printing: 06/27/2015

Melting point : not determined

Boiling point : Not applicable

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : not determined

Upper explosion limit : not tested.

Lower explosion limit : not tested.

Combustion number: not determined

Vapour pressure

Not applicable

Relative vapour density : Not applicable

Relative density : not tested.

Density : not tested.

Bulk density : not tested.

Solubility(ies)

Water solubility : partly soluble, max. 2,5% CoCl2 can be leached out.

Solubility in other solvents : not tested.

Partition coefficient: n-

octanol/water

: not determined

Auto-ignition temperature : Not applicable

Decomposition temperature : no data available

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Flow time : Not applicable

Explosive properties : no data available

Oxidizing properties : not tested.

Sublimation point : not determined



## Plug Card, 2345P, 20-50% RH, .81 Dia

Page 6

 Substance key: SC0000100257
 Revision Date: 06/19/2015

 Version: 2 - 0 / USA
 Date of printing: 06/27/2015

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Stable

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous

reactions

: None known.

Conditions to avoid : Exposure to moisture (hygroscopic).

Incompatible materials : Water

Hazardous decomposition

products

: No decomposition if stored and applied as directed.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Eye contact Skin contact Ingestion

## **Acute toxicity**

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Remarks: no data available

Acute dermal toxicity : Remarks: no data available

#### Skin corrosion/irritation

**Product:** 

Remarks: no data available

#### Serious eye damage/eye irritation

Product:

Remarks: no data available

## Respiratory or skin sensitisation

**Product:** 

Remarks: no data available

#### Carcinogenicity

IARC Listed



## Plug Card, 2345P, 20-50% RH, .81 Dia

Page 7

Substance key: SC0000100257 Revision Date: 06/19/2015 Version: 2 - 0 / USA Date of printing :06/27/2015

**OSHA** Not listed

**NTP** Not listed

## **Experience with human exposure**

**Product:** 

: The possible symptoms known are those derived from the **General Information** 

labelling (see section 2).

#### **Further information**

**Product:** 

Remarks: No data is available on the product itself.

Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

**Product:** 

Toxicity to fish

Remarks: no data available

M-Factor (Acute aquatic

toxicity)

: 10

## Persistence and degradability

**Product:** 

: Remarks: no data available Biodegradability

Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: no data available

Mobility in soil

**Product:** 

Distribution among : Remarks: no data available

environmental compartments

Other adverse effects

**Product:** 

Additional ecological

: water endangering

information



## Plug Card, 2345P, 20-50% RH, .81 Dia

Page 8

Substance key: SC0000100257	Revision Date: 06/19/2015
Version: 2 - 0 / USA	Date of printing :06/27/2015

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

RCRA - Resource

Conservation and Recovery

Authorization Act

: This product, if discarded as sold, is not a Federal RCRA

hazardous waste.

Waste Code : NONE

Waste from residues : This product, if discarded as sold, is not a Federal RCRA

hazardous waste. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal

regulations.

Contaminated packaging : Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

DOT not restricted

IATA not restricted

IMDG not restricted

## **SECTION 15. REGULATORY INFORMATION**

**EPCRA - Emergency Planning and Community Right-to-Know Act** 

**CERCLA Reportable Quantity** 

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

Chronic Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : This product contains the chemical or chemicals listed below

which are subject to the supplier notification requirements of

Section 313 of the Superfund Amendments and

Reauthorization Act of 1986 ("SARA") and the requirements of

40 CFR Part 372:

Cobalt Compounds Not Assigned 2.5 %



## Plug Card, 2345P, 20-50% RH, .81 Dia

Page 9

Substance key: SC0000100257	Revision Date: 06/19/2015
Version: 2 - 0 / USA	Date of printing :06/27/2015

Cobalt 7440-48-4 1.15 %

#### **Clean Water Act**

Contains no known priority pollutants at concentrations greater than 0.1%.

## The components of this product are reported in the following inventories:

TSCA : All components of this product are listed or excluded from

listing on the United States Environmental Protection Agency

Toxic Substances Control Act (TSCA) Inventory.


#### **Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### NFPA:



Revision Date : 06/19/2015

This information is supplied under the OSHA Hazard Communication Standard, 29 CFR 1910.1200, and is offered in good faith based on data available to us that we believe to be true and accurate. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable to the material. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate for that use. No warranty, express or implied, is made regarding the accuracy of this data, the hazards connected with the use of the material, or the results to be obtained from the use thereof. We assume no responsibility for damage or injury from the use of the product described herein. Data provided here are typical and not intended for use as product specifications.



# Plug Card, 2345P, 20-50% RH, .81 Dia

Page 10

Substance key: SC0000100257	Revision Date: 06/19/2015
Version: 2 - 0 / USA	Date of printing :06/27/2015

US / USA