825017 D **GGM CONTAINER CONTROLS, INC.** A

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND EXCEPT WITH WRITTEN PERMISSION BY AGM
CONTAINER CONTROLS, INC. SUCH INFORMATION SHALL
NOT BE PUBLISHED, DISCLOSED TO OTHERS OR USED FOR

ANY PURPOSE AND THE DOCUMENT SHALL NOT BE

DUPLICATED IN WHOLE OR IN PART.

revisions				
ZONE	LTR.	DESCRIPTION	DATE	APPROVED
	Α	SALES DRAWING CREATED WITH REV A. 12-13-05 EHB	12-13-05	PML
	В	UPDATED IAW DCN#06-011. 2-24-06 EHB	3-21-06	PML


→ 2X .25

3.50

1.50

.50


1.00



NOTES UNLESS OTHERWISE SPECIFIED:

- 1. MATERIAL: ALUMINUM ALLOY 5083-H111 IAW SAE AMS QQ-A-200/4 OR 5086-H111 IAW SAE AMS QQ-A-200/5. ALTERNATE SPECIFICATIONS: ASTM B221 OR ASTM B241.
- 2. TRACK MAY BE SUPPLIED IN ADDITIONAL LENGTHS THAN LISTED IN TABLE BELOW. CONTACT AGM CONTAINER CONTROLS, INC. ENGINEERING TO SPECIFY LENGTH.
- 3. TRACK MAY BE SUPPLIED WITH MOUNTING HOLES FOR BOLTING TO STEEL STRUCTURE. CONTACT AGM CONTAINER CONTROLS, INC. ENGINEERING TO SPECIFY HOLE PATTERN.

SPECIFICATION CONTROL DRAWING



INTERPRET DIMENSIONS AND

TOLERANCES IAW ANSI Y14.5M-1994

CONTRACI