

4



3

2


1

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND EXCEPT WITH WRITTEN PERMISSION BY AGM CONTAINER CONTROLS, INC. SUCH INFORMATION SHALL NOT BE PUBLISHED, DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE AND THE DOCUMENT SHALL NOT BE DUPLICATED IN WHOLE OR IN PART.

REVISIONS				
ZONE	LTR.	DESCRIPTION	DATE	APPROVAL



ISOMETRIC VIEW FOR REFERENCE ONLY



APPROVED
By Engineering Admin on August 15, 2011

NOTES UNLESS OTHERWISE SPECIFIED:

- DESCRIPTION: 1/16 SPANNER DRIVE TOOL FOR TA348 HUMIDITY INDICATORS.
- MATERIAL: ALUMINUM ALLOY.
- FINISH: ANODIZE IAW MIL-A-8625, TYPE II, CLASS 1.

SPECIFICATION CONTROL DRAWING

INTERPRET DIMENSIONS AND TOLERANCES IAW ANSI Y14.5M-1994 UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES: DECIMALS .XX ± .015 .XXX ± .010 ANGLES ± .5°				CONTRACT NO. DRAWN M.ONTIVEROS DATE 1-21-11 CHECK P.LANE 1-22-11 APPROVED P.LANE 1-22-11 MANUFACTURING CUSTOMER		AGM CONTAINER CONTROLS, INC. P.O. BOX 40020 - TUCSON, ARIZONA 85717-0020				
DO NOT SCALE DRAWING FINISH 2.				TITLE 1/16 SPANNER DRIVE		SIZE B FSCM NO. 08992 DWG. NO. 348100 REV. -				
PART DASH NO.	NEXT	FINAL	NEXT ASSY.	USED ON	SIMILAR TO	ACT. WT.	CALC. WT.	SCALE 2/1	RELEASE DATE	SHEET 1 OF 1

4

3

2

1